

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Toni M. Antalis et al.

Group: Unassigned

Serial No.: Unassigned

Docket: 11168A

Filed: Herewith

Dated: January 7, 2002

For: NOVEL MOLECULES

Assistant Commissioner for Patents Washington, DC 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. §§ 1.97 and 1.98, it is requested that the following references, which are also listed on the attached Form PTO-1449, be made of record in the above-identified case.

CERTIFICATE OF MAILING BY EXPRESS MAIL

Express Mail Mailing Label Number: EL913702378US

Date of Deposit: January 7, 2002

I hereby certify that this correspondence is being deposited with the United States Postal Service Express Mail Post Office to Addressee service under 37 C.F.R. '1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Dated: January 7, 2002

Michelle Mustafa

- 1. E. Vey et al. (1996) AExpression and Creavage of Tumor...Factor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409;
- 2. Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336;
- 3. D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thyrnocyte Nuclei@ J. Biol. Chem. 271: 22398-22406;
- 4. S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184;
- F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139;
- 6. J.L. Dickinson et al. (1995) AP lasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ *The Journal of Biological Chemistry 270 (46)*: 27894-27904;
- 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95;
- 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" *Nature 377 (28)*: 335-365; and
- 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163.

Pursuant to 37 C.F.R. §1.98(d), copies of the above-listed references are not

provided, as they were all previously submitted to the Examiner in connection with the parent case, Serial No.: 09/023,942, filed on February 13, 1998.

Consideration of this Information Disclosure Statement is respectfully requested.

Inasmuch as this Information Disclosure Statement is being submitted in accordance with the schedule set out in 37 C.F>R. §1.97(b), no statement or fee is required.

Respectfully submitted.

Leopold Presser

Registration No. 19,827

SCULLY, SCOTT, MURPHY & PRESSER 400 Garden City Plaza Garden City, New York 11530 (516) 742-4343

LP:PIB:gmj

Class Applicants Toni Marie Antalis, et al.	Form PTO-1449 (REV. 7-80)PATE	NT AND TR	U.S. DEPARTMENT OF COMMERCE ADEMARK OFFICE		Atty. Docket No. Serial No. 11168A					
U.S. PATENT DOCUMENTS DOCUMENT NUMBER DATE NAME CLASS SUBCLASS FILING DATE (if appropriate)	CITED BY APPLICANT									
DOCUMENT NUMBER DATE NAME CLASS SUBCLASS FILING DATE (# appropriate)							Group			
AA AB Boundary Class Subclass Translation T	U.S. PAT	ENT D	OCUMENTS					_		
Document Number Date Country CLASS SUBCLASS TRANSLATION YES NO			DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS			
Pocument Number Date Country CLASS SUBCLASS TRANSLATION		AA								
Pocument Number Date Country CLASS SUBCLASS TRANSLATION		AB								
Document Number Substitute Document Number Document Number Document Number Document Number Document Number No										
OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.) 1. E. Vey et al. (1996) AExpression and Creavage of TumorFactor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 2. Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 3. D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 4. S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 5. F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163			Foreign	Date	Country	CLASS	SUBCLASS	TRANSLATION		
 E. Vey et al. (1996) AExpression and Creavage of TumorFactor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces II.6 and II.8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 			Document Number					YES	NO	
 E. Vey et al. (1996) AExpression and Creavage of TumorFactor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces II.6 and II.8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 							-		<u></u>	
 E. Vey et al. (1996) AExpression and Creavage of TumorFactor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces II.6 and II.8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 	<u> </u>									
 E. Vey et al. (1996) AExpression and Creavage of TumorFactor-α and Tumor Necrosis Factor Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1a@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces II.6 and II.8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 										
 Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur. J. Imm. 26: 2404-2409 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitorinsensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1a@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 										
 Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1a@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		1.	Receptors by Human Monocytic Cell Lines Upon Direct Contact With Stimulated T Cells@ Eur.							
 Leukocyte Biology 60: 328-336 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		2.	Y. Nakabo and M.J. Pabst (1996) ALysis of Leukemic Cells By Human Macrophages: Inhibition							
 D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1a@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 			by 4-(2-aminoethyl)-benzenesulfonyl Flouride (AEBSF), a Serine Protease Inhibitor@ Journal of							
 insensitive Degradation of Lamin B₁ and DNA Fragmentation in Isolated Thymocyte Nuclei@ J. Biol. Chem. 271: 22398-22406 4. S.S. Choi et al. (1996) AProstaglandin-E₂ Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 5. F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contag Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		2	D.J. McConkey (1996) ACalcium-dependent, Interleukin 1β-converting Enzyme Inhibitor-							
 Biol. Chem. 271: 22398-22406 4. S.S. Choi et al. (1996) AProstaglandin-E2 Regulation of Tumor Necrosis Factor Receptor Release in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 5. F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		ა.								
 in Human Monocytic THP-1 Cells@ Cellular Immunology 170: 178-184 5. F. Bussolino et al. (1994) Alnvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 			Biol. Chem. 271: 22398-22406							
 F. Bussolino et al. (1994) AInvolvement of a Serine Protease in the Synthesis of Platelet-activating Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		4.								
 Factor by Endothelial Cells Stimulated By Tumor Necrosis Factor-α or Interleukin-1α@ Eur. J. Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		5								
 Immunol. 24: 3131-3139 6. J.L. Dickinson et al. (1995) APlasminogen Activator Inhibitor Type 2 Inhibits Tumor Necrosis Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		J.								
 Factor α-induced Apoptosis@ The Journal of Biological Chemistry 270 (46): 27894-27904 7. R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 			Immunol. 24: 3131-3139							
 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		6.								
Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 8. N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163		7	 R. Sood et al. (1997) AConstruction of a 1-Mb Restriction-mapped Cosmid Contig Containing the Candidate Region for the Familial Mediterranean Fever Locus (MEFV) on Chromosome 16p13.3" Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 							
 Genomics 42: 83-95 N.A. Doggett et al. (1995) AAn Integrated Physical Map of Human Chromosome 16" Nature 377 (28): 335-365 L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 		' '								
 (28): 335-365 9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163 										
9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163		8.								
Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular Immunology 171: 159-163	:	9. L.E. Sower et al. (1996) AShort Communication: Extracellular Activities of Human Granzymes I. Granzyme A Induces IL6 and IL8 Production in Fibroblast and Epithelial Cell Lines@ Cellular								
EXAMINER DATE CONSIDERED			Immunology 171:	159-163	<u> </u>				<u> </u>	
	EXAMINER				DATE CONSIDERED					
* EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in	* EVALUATE), m 41-	l if reference considered	thathar ar not old	tion is in conformance with MP	ED BOO: Arow II-	a through citati	on if not in		